Silicone products
Functional agent
Nanomaterials

PRODUCT CATALOG



公司簡介 COMPANY PROFILE

成宥國際股份有限公司成立於西元2013年,為成大(上海)化工(2001)之關係企業。集團前身為專業紡織化工廠,成大(上海)化工成立後,為美國道康寧(Dow Coring)中國華東最大代理商,並轉型為專業有機矽與納米材料的生產。

成宥主營高新化工產品,將產品領域提升到納米科技產品,藉由納米技術導入兩大產品項目,超親水與超潑水的技術,同時可以達到國際品質與世界的環保標準。而我們的自行研發生產的技術,更可以協助客戶進行生產建議、產品開發、現品調整、以及獨家化工與民生用產品設計。

我們期許自己可以成為台灣化工產業的領導品牌,將集團的技術產品,帶領到新的產業領域,並且深入民生用品市場,讓更多人可以享受到環保、純淨、無毒的優質生活。

GRACESS INTERNATIONAL CO., LTD. was held in 2013, it is an affiliate company of Taiwan Yiman company (1980), Chenda (Shanghai) chemical company, and Chentai commerce. Our main fields is high-tech chemical products, we promoted products to the new material application by nano-technology in textile industry and daily use. The products all conform international standard quality and eco-friendly regulation. We also provided customers products manufacture and promotion suggestions; and provided OEM, ODM service.

We started to work together with Dow Corning in 1995. We helped it sell textile industry silicone products as a mediator and also provided the support of skills and invention of products. So, we become partners and cooperate with each other. In the future, we not only focus on building good cooperation relationships, but also to seek or make the largest values and benefits among us and our customers.

Today, based on our over 30 years specialty silicone experiences and new nanotechnology, we can make our own products and materials manufacturer, hope we can share our products benefits to customers and provided them promotion in their market segment.

紡織用產品 TEXTILE CHEMICALS



目次 CONTENTS

1、表面活性劑	Surfactant	1
2、消泡劑	Defoamer	1
3、皂洗劑	Soaping agent	2
4、均染劑	Levelling agent	2
5、固色劑	Fixing agent	3
6、氨基矽油	Amino silicone oil	3
7、乳化劑	Emulsifier	4
8、三元共聚柔軟劑	Terpolymer softener	4
9、撥水劑	Water repellent agent	5
10、增豔劑	Brightly colored softener	6
11、抗靜電劑	Anti-Static Agent	6
12、吸排快乾劑	Moisture Absorption & Quick-Dry Agent	7
13、保暖加工劑	Warm keeping functional agent	7
14、抗菌劑	Anti-bacterial agent	8
15、日光牢度提升劑	Light fastness improver	8
16、納米材料-二氧化鈦	Nanomaterials-TiO2	9

1、表面活性劑 Surfactant

品名 Product name	品號 Model	濃度 Solid content	成分 Component	外觀 Appearanc	離子性 Ionic	特性/使用方法 Features/Instructions	包裝 Package
二級醇表面活性劑 Secondary alcohol surfactant	CD-5	≥99.5%	特殊表面活性劑 organic phosphate sodium salt	液狀 liquid	非離子 nonionic	99%以上可以生物分解的磷酸酯化環保型表面活劑。具有優異的乳化、分散、濕潤、滲透、去汙的效果。取代 NP 及 AEO 系列產品,可在寬的 PH (1-14) 的範圍上使用。 CD-5、CD-7、CD-9 are 99% biodegradable and eco-friendly surfactant, which has excellent emulsification, dispersion, hydrophilicity, penetration, and antifouling effects. CD-5 can replace NP and AEO series product and can be applied with wide range of PH value(1.14)	180Kg
二級醇表面活性劑 Secondary alcohol surfactant	CD-7	≥99.5%	特殊表面活性劑 organic phosphate sodium salt	液狀 liquid	非離子 nonionic		200Kg
二級醇表面活性劑 Secondary alcohol surfactant	CD-9	≥99.5%	特殊表面活性劑 organic phosphate sodium salt	液狀 liquid	非離子 nonionic		200Kg
耐鹼強力滲透劑 Less-foam emulsifier surfactant	KKF	60±1%	高級醇硫酸化磷酸化 混合物 higher alcohol sulfate mixture of phosphorylated	liquid	陰/非離子 anion/ nonionic	具有優良的耐高溫性、耐鹼性。低泡沫性不影響生產。應用於棉及T/C的精練、漂白浴。 KK-F has good temperature and alkali resistance. This product can be applied with cotton and T/C's refining and bleaching.	120Kg
染色專用脫氣滲透劑 Dyeing degassing penetrant	KKM	40±1%	特殊介面活性劑 special surfactant	液狀 liquid	陰/非離子 anion/ nonionic	具有優異的脫氣、消泡及滲透功能。可提高印花的滲透性及上色度,並且 增進色牢度。 KKM is good at degassing, defoaming and penetration. It can improve penetration of printing and color fastness.	120Kg
棉低泡精煉劑 Cotton low foam scouring agent	HP-300N	30±1%	特殊反應型表面活性劑 special reaction surfactant		陰/非離子 anion/ nonionic	環保型的表面活性劑。具有優異的乳化、分散、耐酸、耐鹼的效果。可有效去除澱粉漿料、PVA等化學漿料。 HP-300 is eco-friendly surfactant. It's good to use in dispersion and emulsification. It can effectively remove the starch slurry and the PVC slurry.	120Kg

2、消泡劑 Defoamer

品名 Product name	品號 Model	濃度 Solid content	成分 Component	外觀 Appearanc		特性/使用方法 Features/Instructions	包裝 Package
有機矽聚醚改性型消泡劑 Polyether-modified Silicone Defoamer agent	CD-1168MS	50±1%	有機矽改性聚合物 Silicone-modified compounds	液狀 liquid	非離子 anion/	不含APEO,適用於水性膠黏劑乳液的泡沫控制劑,與水性樹脂/塗料的相容性良好。耐酸、耐鹼,耐高溫性好。 CD-1168MS is APEO free.It is suitable for use in water-based adhesive emulsion.CD-1168MS is also can use in wide range of pH and high temperature.	
非硅渗透型消泡劑 Non silicone defoamer & penetrant agent	CD-5011		脂肪醇聚氧乙烯醚 合成物 Fatty alcohol polyoxyethylene ether complexes	liquid	陰/非離子 anion/ nonionic	表面張力較低。能夠作用於紡織印染、塗料、石油工業、金屬加工製造行業。 CD-5011 has a lower surface tension.Can be used in textile dyeing and printing; coating and paints; the petroleum, and metal processing industry etc.	120Kg

3、皂洗劑 Soaping agent

品名	品號	濃度	成分	外觀	離子性	特性/使用方法	包裝
Product name	Model	Solid content	Component	Appearanc	Ionic	Features/Instructions	Package
分散染料牢度增進劑 Disperse dye fastness improver	SOAPING-580	CONC	高分子聚合物 special macromolecule surfactant complex	粉狀 powder	陰離子 anion	有效提高耐洗牢度,縮短加工時間,是具有高生物降解性的環保產品。 SOAPING-580 can efficiently improve wash fastness and shorten process time, and is an eco-friendly product with high biodegradability.	25Kg
脫色型滌/棉皂洗劑 Soaping agent	SOAPING-588	CONC	高分子聚合物 special macromolecule surfactant complex	粉狀 powder	非離子 nonionic	不含APEO,染滌後不必先進行還原洗,直接染棉後排液水洗,再進行滌棉同浴皂洗即可。 SOAPING-588 is APEO free.Soaping-588 just need once soaping after cotton and polyester has dyed then doing water washing.	25Kg
經濟型還原洗劑 Economical reducing agent	RC-E	CONC	二氧化硫脲 thiourea dioxide	粉狀 powder	-	應用於滌綸分散染料染色後的還原清洗,染缸、染色池、廢液缸的清洗及 剝色等。有更好的還原力與穩定性。 RC-E have better reduction ability and stability on reducing, cleaning and stripping of dye vat, dying pool and waste liquid vat after polyester disperse dyes dyeing process.	25Kg

4、均染劑 Levelling agent

品名	品號	濃度	成分	外觀	離子性	特性/使用方法	包裝
Product name	Model	Solid content	Component	Appearanc	Ionic	Features/Instructions	Package
分散均染劑 Levelling and dispersing agent	DL-889	CONC	聚氧乙烯酯 polyoxyethylene	液狀 liquid	nonionic	起泡性低,溶解性好,適合高温高壓與導染劑染色工程使用。 DL-889 has low foaming and good solubility. It is suitable for high temperature and high pressure dyeing.	120Kg
酸性尼龍快速均染劑 Acid levelling agent for nylon	L-200	CONC	聚乙二醇 polyoxyethylene tallow amine	液狀 liquid	anion/	對長纖維或膨鬆加工品,有很好的均染效果。可防止產生筋斑、定型斑。 L-200 has good even dyeing effect to filament and fluffy processed products. It can avoid the processing spot on the textile.	120Kg
棉均染劑 Cotton leveling agent	SA-5200		聚乙烯基(聚)吡咯烷酮、聚维酮混合物 polyvinylpyrrolidone, povidone compound	粉狀 powder		對於反應性染料、直接染料之均染效果有相當優異功能,也具有剝色功能 ,可迅速有效的剝除染料,促使再次染色的效果。 SA-5200 has good even dyeing effect to reactive dye and direct dye. It can also use as stripping agent to stripping the dye.	25Kg

5、固色劑 Fixing agent

品名 Product name	品號 Model	濃度 Solid content	成分 Component	外觀 Appearanc	離子性	特性/使用方法 Features/Instructions	包裝 Package
活性染料用脫色固色劑 Decolorizing fixing agent for reactive dyes	AC-2006	40 - 10/	水溶性特殊聚合物 special polymer	e	Nature 陰離子 anion	可以有效提高水洗牢度、汗漬牢度、色牢度、乾濕摩擦牢度。可以縮短皂洗和水洗次數,達到節能減排等環保效果。 AC-2006 can effectively improve wash color fastness, perspiration color fastness and rubbing color fastness.It can short soaping number of times to save water and time.	20Kg
活性染料翠藍專用固色劑 Reactive turquoise blue dye fixing agent	DR-660TB	40±1%	水溶性特殊聚合物 special polymer	液狀 liquid	陽離子 cationic	對酸、硬水穩定性較好,對PH變化不敏感。適用於竭染及軋染。 Very stable in acid and hard water bath, and it's not easy reaction when PH value changes. Suitable for exhaust dyeing and padding.	120Kg
酸性染料尼龍固色劑 Nylon fixing agent	N-900	CO + 10/	芳香族磺酸 aromatic sulphonic acids	液狀 liquid	陰離子 anion	可應用於酸性染料、陽離子染料、染陰離子改質尼龍纖維。牢度效果相當優異,也不影響染色之耐光牢度。 N-900 can be applied with anion modified nylon treated with acid and cationic dyes. Treated fabric has great color fastness and the light fastness will not be influenced.	120Kg

6、氨基矽油 Amino silicone oil

品名	品號	濃度	成分	外觀	離子性	特性/使用方法	包裝
Product name	Model	Solid content	Component	Appearance	lonic	Features/Instructions	Package
環保型氨基矽油 Eco-friendly amino silicone oil	ASO-846''''	96±1%	特殊氨基改性有機矽油 special amino-modified organic silicone oil	液狀 liquid	Nature 非離子 nonionic	黏度1000~5000mPa·s(25°C)。賦予織物柔軟潤滑的手感,耐水洗、低黄變。可符合Bluesign、Reach、Oeko-Tex標準。 Viscosity is 1000~5000 mPa·s(25°C). It makes fabrics have soft, smooth hand touch. It has good wash durable, and low yellowing. Compliant Bluesign, Reach, Oeko-Tex standards.	180Kg
環保型染缸可用耐鹼吸水 柔軟劑 Eco-friendly alkali-resistant absorbing softener for dyeing tank	SPP-958	50±1%	特殊聚醚·氨基改性自 乳化型特殊矽酮 special amino modified polyether、special self- emulsifying silicone	液狀 liquid	弱陽離子 weak cationic	自身乳化型,使織物具有良好親水性,增加柔軟手感,耐鹼、耐高溫。 Self-emulsification, hydrophilicity, soft handling high temperature and alkali resistance.	120Kg
漂白用柔軟劑 Silicone softener for bleaching	TW-112A	130+1%	特殊改性矽油乳液 special modification silicone	液狀 liquid	弱陽離子 weak cationic	用於聚酯纖維、尼龍、毛巾布,改善其吸水性和光滑度。不黃變。 For polyester, nylon, towel.Improve water absorption and smoothness.No yellowing.	120Kg

7、乳化劑 Emulsifier

品名	品號	濃度	成分	外觀	離子性	特性/使用方法	包裝
Product name	Model	Solid content	Component	Appearanc	Ionic	Features/Instructions	Package
二甲基矽油專用乳化劑 Emulsifier for dimethyl silicone oil	T-55N	-	特殊介面活性劑 special surfactant	e 液狀 liquid	Nature 非離子 nonionic	可用於350CPS及1000CPS二甲基矽油之乳化。 乳化過程方便,缸差小、複配性佳。 It can be used for the emulsification of 350CPS and 1000CPS dimethyl eucalyptus oil. The emulsification process is facile, the lots difference is small, and the compounding property is good.	120Kg
氨基矽油乳化劑 Amino silicone oil emulsifier	T-97	-	特殊介面活性劑 special surfactant	液狀 liquid	非離子 nonionic	經濟型乳化劑,可簡便且輕易的完成乳化工藝,沒有乳化不穩定之問題, 也可降低成本。 T-97 is an econimical model,which can be processed conveniently, and there is no instability problem during emulsification.T-97 can also reduce production cost.	120Kg
高油乳比乳化劑 High oil emulsion emulsifier	T-100	-	特殊介面活性劑 special surfactant	液狀 liquid	非離子 nonionic	通用型乳化劑,不含NP系列表面活性劑,易於乳化且適用範圍廣,乳化後產品穩定。 T-100 is a model for general use and there is no AP surfactant in it. T-100 is easy to emulsify with wide appliction. The finished product is very stable.	120Kg

8、三元共聚柔軟劑 Terpolymer softener

品名	品號	濃度	成分	外觀	_	特性/使用方法	包裝
Product name	Model	Solid content	Component	Appearanc	Ionic	Features/Instructions	Package
三元共聚型柔軟劑 Terpolymer softener	SPP-170A	20±1%	特殊改性矽油乳液 special modification silicone		weak	賦予化纖織物極佳的回彈性,超平滑、蓬鬆、柔軟的風格。添加量少。 It makes chemical fiber fabrics have excellent resilience, ultra-smooth, fluffy hand touch.	120Kg
三元共聚型柔軟劑 Terpolymer softener	SPP-180A	20±1%	特殊改性矽油乳液 special modification silicone		弱陽離子 weak cationic	可符合0eko-Tex 100、Bluesign。適用於任何纖維,對化纖織物效果優異。 Compiling with Oeko-Tex 100, Bluesign standard. It is excellent for any kinds of fiber, especially chemical fiber fabrics.	120Kg

9、撥水劑 Water repellent agent

品名 Product name	品號 Model	濃度 Solid content	成分 Component	外觀 Appearanc	離子性 Ionic	特性/使用方法 Features/Instructions	包裝 Package
碳六撥水劑 C6 water repellent agent	CG-643	20±1%	有機氟樹脂 fluororesin	液狀 liquid	弱陽離子 weak cationic	不含PFOS、PFOA、APEO等有害物質,能廣泛使用於各類的紡織品,並賦予各種纖維高效的撥水性能。 Without PFOS, PFOA, and APEO, can be used in various types of textiles, and imparts efficient water-repellent properties on fibers.	120Kg
無氟撥水劑 Fluorine-free water repellent agent	NF-3069N	30±1%	脂族丙烯酸烷基酯共聚物 aliphatic alkyl acrylate copolymer	液狀 liquid	陽離子 cationic	不含PFOS、PFOA、APEO等有害物質外,更不含任何氟素的成分,尤其對纖維素纖維織物具有優異的撥水的效果。 Without PFOS, PFOA, APEO, and fluorine; especially for cellulose fiber fabrics, it has an excellent water-repellent effect.	120Kg
撥水提升劑 Water repellent lifting agent	CD-EN	20±1%	特殊高分子聚合樹脂 special polymer resin	液狀 liquid	弱陽離子 weak cationic	可提高撥水劑的耐水洗性及撥水的性能。用在棉布及混紡織物效果更好。 Improving wash durable and water-repellent of water-repellent agent, especially used in cotton and blended fabrics will have better effect.	120Kg
撥水架橋劑 Water repellent crosslinking agent	CD-FN	20±1%	特殊高分子聚合樹脂 special polymer resin	液狀 liquid	弱陽離子 weak cationic	可提高初期的撥水效果,與有機氟或無氟的撥水劑併用。 Improving the initial water repellent effect and can be used with fluorine type or fluorine-free water-repellent agents.	120Kg
撥水用滲透劑 Water repellent use penetrating agent	KK-410	10±1%	非離子表面活性劑 nonionic surfactant	液狀 liquid	非離子 nonionic	具低泡、濕潤、滲透、乳化、分散及洗淨性。 Low foam, strong penetration, emulsification, dispersion, and detergency.	120Kg
撥水併用柔軟劑 Water repellent softener	SG-610E	10±1%	特殊環氧有機矽與介面活性劑乳化物 special epoxy silicones emulsified with surfactant	液狀 liquid	弱陽離子 weak cationic	可與潑水劑併用,不破壞其潑水度,產生柔軟效果,增進耐水洗。 Cross-linking with fabric, soft handling, improve wash fastness.	120Kg
撥水併用抗靜電劑 Anti-Static agent	ASA-300	10±1%	特殊陰離子表面活性劑 special anion surfactant	液狀 liquid	陰離子 anion	染色可用,可消除合成纖維於紡紗、纖布過程中所產生之靜電。 Dye vat applicable, can inhibit static during fabric production.	120Kg

10、增豔劑 Brightly colored softener

品名	品號	濃度	成分	外觀	離子性	特性/使用方法	包裝
Product name	Model	Solid content	Component	Appearanc	Ionic	Features/Instructions	Package
有機矽型增深增豔劑 Organosilicon deepening and brightening agent	TT-530	25±2%	有機矽乳液 silicone emulsion	液狀 liquid	陽離子 cationic	手感柔軟平滑,達到增深和柔軟的雙重功效;也能改善織物彈性、撕破強度和抗皺性能。 It makes the fabrics have soft and smooth hand touch, achieving both the effect of deepening and softening; it also improves fabric elasticity, tear strength and wrinkle resistance.	120Kg
增深增豔劑 Deepening and brightening agent	TT-570	20±1%	改性有機矽共聚物 silicone modified polymer	液狀 liquid	弱陽離子 weak cationic	可與TT-590併用,適用於棉、滌綸、尼龍等多種纖維。 Can be used with TT-590, suitable for cotton, polyester, nylon and other fibers.	120Kg
樹脂型增深增豔劑 Resin deepening and brightening agent	TT-590	10±1%	特殊樹脂乳液 special resin emulsion	液狀 liquid	陽離子 cationic	可用於定型後加工處理,適用於浸軋處理工藝。對織物增深效果非常好。 It can be used and suitable in padding process. Very good for fabric deepening.	120Kg

11、抗靜電劑 Anti-Static Agent

品名	品號	濃度	成分	外觀	特性/使用方法	包裝
Product name	Model	Solid content	Component	Appearanc	Features/Instructions	Package
耐久型抗靜電劑 Anti-Static agent (durable)	ASA-900	18U±1%	特殊介面活性劑 special polymer	液狀 liquid	染色可用,耐洗性良好,不會影響色牢度。 Dye vat applicable, washable, no influence to color fastness.	120Kg

12、吸排快乾劑 Moisture Absorption & Quick-Dry Agent

品名	品號	濃度	成分	外觀	離子性	特性/使用方法	包裝
Product name	Model	Solid content	Component	Appearanc	Ionic	Features/Instructions	Package
吸濕排汗劑 Moisture absorbing and perspiration agent	S-95	⊠98%	特殊聚脂類高分子聚合物 special Polyester-based polymer	碎片狀 fractal shape	非離子 nonionic	可防靜電,不影響色相,染缸可用。可應用於高溫高壓,增進織物柔軟。 Anti-static, no influence to color shade, dye vat applicable, can stand high temperature and pressure. Improve softness.	25Kg
滌綸多功能整理劑 Polyester Multi-functional Finishing agent	S-96	-	特殊合成物 special polymer	碎片狀 fractal shape	非離子 nonionic	使織物具有優異親水性能,提高織物顏色的鮮豔度、光潔度。 It makes fabrics have excellent hydrophilic properties and improves the brightly and smoothness of fabrics color.	25Kg
吸濕排汗劑 Moisture absorbing and perspiration agent	PM-NEW	15±1%	特殊聚脂類高分子聚合物 special Polyester-based polymer	液狀 liquid	非離子 nonionic	可防靜電,不影響色相,染缸可用。可應用於高溫高壓,增進織物柔軟。 Anti-static, no influence to color shade, dye vat applicable, can stand high temperature and pressure. Improve softness.	120Kg
吸濕排汗快乾劑 Moisture absorbing and quick-dry agent	PM-011	11±1%	特殊高分子親水性聚合物 hydrophilic high molecular polymer	液狀 liquid		符合adidas標準,可在染色中添加,提升手感,親水性極佳。 Comply with adidas standard, dye vat applicable, soft handling, great hydrophilicity.	120Kg

13、保暖加工劑 Warm keeping functional agent

溫控型涼感保暖加工劑 Temperature-controlled cool feeling warmth finishing agent	CO-117	120±2%	特殊蠟乳液 special wax emulsion	液狀 liquid	非離子 nonionic	能根據外界環境的變化,在一定的溫度範圍內自由調節紡織品的溫度,達到調節溫度的功能。 According to changes in the external environment, CO-117 can adjust the temperature of textiles within a certain temperature range.	120Kg
--	--------	--------	-------------------------------	--------------	-----------------	--	-------

14、抗菌劑 Anti-bacterial agent

品名	品號	濃度	成分	外觀	離子性	特性/使用方法	包裝
Product name	Model	Solid content	Component	Appearanc	Ionic	Features/Instructions	Package
有機矽四級氨鹽抗菌劑 Antibacterial agent	5708TN	42±1%	有機矽型季銨鹽抗菌劑 silicone quaternary ammonium salts antibacterial agent	e 液狀 liquid	Nature 陽離子 cationic	符合FZ/T73023-2006標準AA級檢測、AATCC-100、ASTM-2149,能有抗菌並抑制金黃色葡萄球菌、大腸桿菌等微生物滋長,具有相當優異的耐水洗性。 5700 complies with FZ/T 73023-2006 standard/ AA test level, AATCC-100、ASTM-2149. 5700 can effectively restrain staphylococcus aureus, and escherichia coli from growing, also has excellent wash fastness.	20Kg
抗菌劑架橋劑 Antibacterial crosslinking agent	CD-5020	22±2%	含鋅有機化合物 zn organic compound	液狀 liquid	陰離子 anion	可與一般的抗菌劑併用,提升其耐洗、耐久性。可與染色同浴法或定型加工上使用。 Could be used with generally antibacterial agents in dyeing or padding process, will improve the durable.	20Kg
銀離子 Silver liquid	_	50-1000ppm	銀離子分散液 silver dispersion	液狀 liquid	非離子 nonionic	含有銀離子和食品級水溶性高分子之複合物的水溶液,具有廣效之殺菌能力。 This product contains silver and food grade polymer complex liquid, which has strong bactericidal effect.	20Kg
奈米銀 Nano-silver liquid	_	50-1000ppm	奈米銀分散液 nano silver dispersion	液狀 liquid	非離子 nonionic	可與水性產品複配,具有廣效之殺菌能力,可以殺死生活中會遭遇到大部分之黴菌、細菌與病毒。 This product can be combined with liquid agent with strong bactericidal effect, which can disinfect most mold, bacteria, and virus in daily life.	20Kg

15、日光牢度提升劑 Light fastness improver

品名 Product name	品號 Model	濃度 Solid content		外觀 Appearanc		特性/使用方法 Features/Instructions	包裝 Package
日米定度提升劑	PL-326	-	無機納米複合物	e 液狀	Nature 非離子	可增進染色纖維的日光牢度外, 並可保護纖維使免於遭受陽光中紫外線之傷害,延長纖維之壽命。 PL-360B is a light fastness improver which can not only improve dylight fastness, but protect fabric from ultraviolet influence.	
多功能整理劑(消臭/抗菌/紫外線遮罩) Multi functional agent	PL-505W NEW	1.5±0.5%		液狀 liquid	非離子 nonionic	可提高耐光性,具優異抗菌、除臭效果,適用於所有纖維。 Improve light fastness, Anti-bacteria, Deodorant, improve handling, all fabric suitable for setting.	20Kg

16、納米材料 Nanomaterials-二氧化鈦 TiO2

品名	品號	濃度	成分	外觀	離子性	特性/使用方法	包裝
Product name	Model	Solid content	Component	Appearanc	Ionic	Features/Instructions	Package
高純度光觸媒 Photo-catalyst	NC-600	_	鈦系化合物 titanic compound	e 液狀 liquid	Nature 非離子 nonionic	本品屬於環保奈米產品粒徑6nm,具分解細菌、除臭、防塵、親水性、抗靜電效果。可用於高溫固化600-700℃。 This product is a eco-friendly nano product with 6nm grain size.NC-600 can decompose bacteria, and has deodorant, dust-proof, hydrophilic, and anti-static effects. It can be used for high temperature curing.	20Kg
玻璃防霧劑 Anti-fog agent	NC-819	_	特殊介面活性劑複合物 special surfactant	液狀 liquid	非離子 nonionic	具有優異的防霧效果、明亮效果,玻璃透明度高,提高安全行車係數。 NC-808 has outstanding anti-fog ability and can improve the transparency of glass.	25Kg
除黴/除臭劑 Deodorizing agent	DK-573	_	萃取物等複合物 special compound	液狀 liquid	非離子 nonionic	安全無毒無味,對皮膚沒有刺激性。具有優異的除臭抗菌效果,可有效分解臭氣分子。 DK-573 is safe and non-toxic.It won't cause irritation to skin.DK-573 has excellent deodorant and bactericidal effect, which can effectively decompose odor molecules.	20Kg
防塵/防汙劑 Photo-catalyst	SG-818	_	鈦系化合物 titanic compound	液狀 liquid	非離子 nonionic	本品屬於環保型納米產品,具有抗靜電、防塵、抗菌、易潔特性。產品無刺激性,可對於精密材質產品表面清潔與防護。 This product is a eco-friendly nano product, which has antistatic, dustproof, bactericidal, and easy-to-clean effects. SG-818 is non-irritating, and can form protection cover to precision device.	20Kg



公司據點 Business Sites

台灣 總公司

成宥國際股份有限公司/伊曼環保新材料有限公司

231 新北市新店區北新路一段86號29樓之3

Tel:02-2673-3998 Fax:02-2673-3995

http://www.gracess.com.tw

中國大陸 研發、生產製造中心

成大(上海)化工有限公司

中國上海市松江區榮樂東路965號

Tel:+86-21-5774-3456 Fax:+86-21-5774-1212

http://www.chendash.com/home.asp

Bangladesh office

Floor 7, House 39, Road 18, Sector 3, Uttara, Dhaka 1230, Bangladesh

Bangladesh R & D, manufacturing center

Plot NO.437, Katrarchak, Vulta, Arihazar Link Road, Golakandail, Rupgonj, Narayangonj, Bangladesh