

物質安全資料表(MSDS)

1. Identification of Substance /Preparation and Company

- 1.1 Product Name : Scouring agent for Cotton HP-300N
- 1.2 Another Name : -
- 1.3 Recommend Usage : Textile use
- 1.4 Information of Manufacturer or Supplier :
GRACESS INTERNATIONAL CO., LTD. /
29F-3, No. 86, Sec. 1, Beixin Rd., Xindian Dist., New Taipei City 231003, Taiwan /+886-2-2673-3998
- 1.5 Emergency Phone/Fax : +886-2-2673-3998/+886-2-2673-3995

2.Hazard Identification Data

- 2.1 Hazard Classification : -
- 2.2 Label : -
Symbol : -
Caution : -
Hazard Warning : -
Acute Symptom :
Eye : -
Skin : -
Inhalation : If no heating up the chemical, no hazard t.o respiratory system.
Swallow : -
Long term exposure symptom: -
Skin : -
Inhalation : -
Swallow : -
- 2.3 Other Hazards : -

3. Composition/ Information of Ingredients

Mixture : -		
Chemical name	CAS Number	%
Special reactive surfactant	84133-50-6	30±1
Water	7732-18-5	70±1

4. First Aid Measure

4.1 First aid measure:

Inhalation: Immediately move the patient to fresh air, rest, maintain a position favorable to breathing, and seek medical treatment.

Skin: Remove contaminated clothing immediately and rinse skin thoroughly with plenty of soap and water. Wash contaminated clothing before reuse.

Eyes: Flush eyes with plenty of water for 20 minutes and get medical attention.

Contact lens wearers should remove contact lenses after flushing for 20 minutes and then continue flushing eyes.

Ingestion: drink lots of water or common saltwater and get medical attention.

4.2 The most harmful effect: -

4.3 Protection of first-aid person: -

4.4 Suggestion to doctors: -

5. Firefighting measure

5.1 Suitable extinguishing media: 1. chemical dry powder 2. Foam 3. water spray 4. CO2

5.2 Special hazards from fire fight: Non-toxic, generally no hazardous.

5.3 Special firefighting procedures: Firefighters must wear a breathing apparatus and protective clothing. Fight fire in the upwind direction. Move the container from the fire to the open space as much as possible. Ventilate the place after a fire. Isolate the scene of the accident and prohibit unrelated personnel from entering. Contain and handle firefighting water to prevent environmental pollution.

5.4 Special fire measure of fire fighter: no data available

6. Accidental release measure

6.1 Personal precaution: It is recommended that emergency personnel wear appropriate respirator protective masks, appropriate protective clothing, and rubber oil-resistant gloves. Do not touch spillage. Cut off the source of the leak if possible. Eliminate all ignition sources.

6.2 Environmental precautions: Contain spills and avoid polluting the environment. Prevent spills from entering sewers, surface water and groundwater °

6.3 Cleaning method: small leaks: Collect leaking liquid in clean containers if possible. Absorb with sand, activated carbon or other inert materials and transfer to a safe place. Do not rush into the sewer.
Large spills: build dikes or dig pits for containment. Seal the drainage pipe. Transfer it to a tank truck or a special collection container with a pump and recycle or transport it to a waste disposal site for disposal.

7. Handling and storage

7.1 Handling: Operators must be specially trained and strictly follow the operating procedures. Operation and disposal should be carried out in a place with local ventilation or full ventilation. Avoid contact with eyes and skin. Avoid breathing vapor. Keep away from fire and heat sources. Equipped with the corresponding variety and quantity of firefighting equipment and leakage emergency treatment equipment.

7.2 Storage: Store in a dry, cool, well-ventilated place. It is recommended to store in the original container and keep the container tightly closed. Keep away from open flames, sparks, or hot surfaces. Avoid direct sunlight. It should be stored separately from oxidants, strong acids, and strong bases.

8. Exposure controls/personal protection

8.1 Engineering controls : -

8.2 Controls parameter :

PC-TWA/PC-STEL/PC-MAC: -/ -/ -/-

8.3 Personal protective equipment:

Respirator: ventilated equipment

Hand protection: safety glove

Eye protection: safety goggle

Skin and body protection: clothing, work boots

8.4 Health measure: Wash after handling, especially before smoking and eating °

9. Physical and chemical properties

• Appearance :	Transparent liquid	• Solid content (%) :	30±1%
• Color :	Light yellowish	• Ionicity:	-
• Odor :	Odorless	• PH value :	5.0-7.5
• Flash Point (Closed cup) : -		• Boiling Point/Boiling Range :	Approximately 100°C
• Flammability(Solid, Gas) : -		• Explosion limits :	-
• Decomposition temperature :	-	• Vapor density :	-
• Autoignition temperature : -		• Solubility :	Soluble in water
• Vapor pressure (25°C) : -		• Chemical reactivity :	-
• Proportion : -		• Evaporation Rate :	-

10. Stability and Reactivity

10.1 Stability: stable to hard water, good stableness.

10.2 Hazardous reactions under special conditions: -

10.3 Avoidance: -

10.4 Avoidant materials: Cationic substances

10.5 Hazard decomposition: --

11. Toxicological Information

11.1 Exposure routes: eyes and skin

11.2 Symptom:

Eye: Eye contact may cause eye irritation.

Skin: May cause slight irritation.

11.3 Acute toxicity: --

11.4 Chronic or long-term toxicity: --

12. Ecological Information

12.1 Ecotoxicity: -

12.2 Persistence and interpretation: --

12.3 Bioaccumulation: --

12.4 Mobility in soil: --

12.5 Other adverse effects: --

13. Disposal Considerations

13.1 Recycle as much as possible. Do not dispose of this product by discharging it to the sewer.

13.2 Wash with appropriate cleaning agent, return the container to the manufacturer or dispose in accordance with national or local regulations.

14. Transport Information

14.1 UN-number: Not included in the United Nations [Recommendations on the transport of dangerous goods]

14.2 International transport classification: -

14.3 Classification of transport hazards: Not included in [Dangerous Goods Name List] GB12268-2012

14.4 Package classification: -

14.5 Marine pollutant (yes or no): -

14.6 Special transport way and precaution: Transported according to non-toxic and non-hazardous chemicals.

The transportation vehicle should be equipped with the corresponding variety and quantity of fire fighting equipment and leakage emergency treatment equipment. During transportation, ensure that the container does not leak, collapse, fall, or damage. Strictly mixed with oxidants and edible chemicals. During transportation, it should be protected from direct sunlight, rain and high temperature. Stay away from fire and heat sources during stopovers. The vehicle should be thoroughly cleaned after transportation.

15. Regulatory Information

The regulations for the safe use of chemicals in the workplace [(1996) Ministry of Labor issued No. 423] have made corresponding provisions for the safe use, production, storage, transportation, loading and unloading of dangerous chemicals.

16. Other Information

GRACESS INTERNATIONAL CO., LTD.

Form Maker 29F-3, No. 86, Sec. 1, Beixin Rd., Xindian Dist., New Taipei City 231003, Taiwan /+886-2-2673-3998

Date 16/March/2021

LIMITED WARRANTY INFORMATION – PLEASE READ BEFORE ANY APPLICATION:

·The data presented in this brochure are in accordance with the present state of our knowledge but do not absolve the user from carefully checking all supplies immediately on receipt.

·We reserve the right to alter product constants within the scope of technical progress or new developments.

·The recommendations made in this brochure should be checked by preliminary trials because of conditions during processing over which we have no control, especially where other companies' raw materials are also being used.

·The information provided by us does not absolve the user from the obligation of investigating the possibility of infringement of third parties' rights or patents and, if necessary, clarifying the position.

·Recommendations for use do not constitute a warranty, either express or implied, of the fitness or suitability of the product for a particular purpose.

·We disclaim any responsibility for any dispute regarding product quality between agent and end user.

·Our sole warranty is that our products will meet the sales specifications in effect at the time of shipment.